

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States-Partial and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1430/ Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/734,665	12/12/2003	Daniel J. Dove	200315543-1	6257
22879	7590 05/04/2006		EXAM	INER
	PACKARD COMPAN	RAHMAN, FAHMIDA		
P O BOX 272400, 3404 E. HARMONY ROAD INTELLECTUAL PROPERTY ADMINISTRATION FORT COLLINS, CO 80527-2400			ART UNIT	PAPER NUMBER
			2116	

DATE MAILED: 05/04/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application	on No.	Applicant(s)		
		10/734,66	55	DOVE, DANIEL J.		
	Office Action Summary	Examiner		Art Unit		
		Fahmida F	Rahman	2116		
	The MAILING DATE of this communicat	tion appears on the	cover sheet with the c	orrespondence address		
WHIC - Exter after - If NO - Failu Any I	ORTENED STATUTORY PERIOD FOR CHEVER IS LONGER, FROM THE MAIL Insions of time may be available under the provisions of 31 SIX (6) MONTHS from the mailing date of this communic period for reply is specified above, the maximum statuto re to reply within the set or extended period for reply will, reply received by the Office later than three months after the pattern adjustment. See 37 CFR 1.704(b).	LING DATE OF TH 7 CFR 1.136(a). In no ever cation. any period will apply and will by statute, cause the appl	IIS COMMUNICATION ent, however, may a reply be tim II expire SIX (6) MONTHS from to ication to become ABANDONE	ely filed the mailing date of this communication. (35 U.S.C. § 133).		
Status	so paterix term asjaconemic coc or or with a very					
1)⊠ 2a)⊟	Responsive to communication(s) filed of This action is FINAL . 2b) Since this application is in condition for closed in accordance with the practice of the second	☑ This action is no allowance except	on-final. for formal matters, pro			
Dienositi	on of Claims	,	• ,			
5)□ 6)⊠ 7)□	Claim(s) <u>1-30</u> is/are pending in the apple 4a) Of the above claim(s) is/are version Claim(s) is/are allowed. Claim(s) <u>1-30</u> is/are rejected. Claim(s) is/are objected to. Claim(s) are subject to restriction	withdrawn from cor				
Applicati	on Papers					
10)	The specification is objected to by the E The drawing(s) filed on is/are: a) Applicant may not request that any objection Replacement drawing sheet(s) including the The oath or declaration is objected to by	n accepted or b) n to the drawing(s) b e correction is require	e held in abeyance. See ed if the drawing(s) is obj	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).		
Priority u	ınder 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
2) Notice	t(s) e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO- mation Disclosure Statement(s) (PTO-1449 or PTO r No(s)/Mail Date 12/12/2003.		4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:			

DETAILED ACTION

1. Claims 1-30 are pending.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

2. Claims 14, 20-21, 24-26, 29 are rejected under 35 U.S.C. 102(b) as being anticipated by Weiler et al (US Patent 5936318).

For claim 14, Weiler teach the following limitations:

A method of power distribution (abstract) to network devices (14-18 in Fig 2), the method comprising:

determining amounts (35 stores the configuration of allocation of power consuming devices; lines 28-31 of column 4) and priority levels of power (34 stores the priority associated with devices, which can be considered the priority levels of power for the respective devices) for the network devices connected to each power distributor (combination of a strand and 42 can be considered a power distributor) of a plurality of power distributors (Fig 1);

summing together the amounts at each priority level at each power distributor (Fig 2 shows that 43 measures the load to determine the overload condition. That

requires summing up the amount required by each device at each priority level at each strand or power distributor);

and determining additional amounts and priority levels of power required beyond an internal power supply capability of each power distributor (Lines 14-20 of column 6 mention that if the load exceeds the limit, it is connected to different strand. Therefore, determination of additional power required beyond the capability of each strand or power distributor is performed, so that the respective device can be connected to the proper strand. In addition, lines 10-12 of column 2 mention that the critical power consuming devices are reallocated. Each high priority device can be considered associated with high priority level of power. The system determines the high priority devices requiring high priority power that need to be reallocated to different strand or power distributor).

For claim 20, Weiler et al teach the following limitations:

A method of distributing power (abstract) to network devices (14-18 in Fig 2), the method comprising:

- associating an amount (35 stores the configuration of allocation of power consuming devices; lines 28-31 of column 4) and priority level of power for each device (34 stores the priority associated with devices, which can be considered the priority level of power for the respective device) connected to a port (14') of a network switch (11);

- maintaining in the switch a table of the amount and priority level for each switch port (34 and 35 can be within 11 as mentioned in lines 56-60 of column

6);

- and using the table to allocate available power to higher priority devices

when insufficient power is available to fully power all of the connected

devices (lines 38-50 of column 6).

For claims 21 and 24, 43 in Fig 2 senses actual power drawn by the devices.

For claim 25, the overloaded load is disconnected from switch 42 as mentioned in lines

14-20 of column 6.

For claim 26, priority is associated with the device. Thus, priority level of power depends

on type of device used.

For claim 29, note lines 22-32 of column 5 mentions about manual configuration by the

operator.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

3. Claims 1-7, 11-13, 15-19, 27-28, 30 are rejected under 35 U.S.C. 103(a) as being unpatentable over AAPA in view of Weiler et al (US Patent 5936318).

For claim 1, AAPA teaches the following limitations:

A system for power distribution (Fig 1) to network devices (106), the system comprising: a plurality of network switches (104) each having an internal power supply ([0017] of page 1) and a plurality of ports for connecting to the network devices (Fig 1); an external power supply (102) having a plurality of output ports for connecting to the network switches (104), wherein the external power supply communicates power available to the network switches, wherein each network switch sends a power request to the external power supply, and wherein the external power supply allocates power to the network switches depending on the power requests received ([0016] of page 1).

AAPA does not teach the following limitations:

each network switch determines amounts and priority levels of power for the network devices connected thereto, sums together the amounts at each priority level,

determines additional amounts and priority levels of power required beyond the internal power supply capability.

Weiler et al teach the following limitations:

A system for power distribution (abstract) to network devices (14-18 in Fig 2), the system comprising:

- a plurality of network switches (11) each having a plurality of ports for connecting the network devices (14-26);
- external power supply (80A, 80B, 80C) having a plurality of output ports for connecting to the network switches (11);
- wherein external power supply communicates power available to the network switches (Fig 1);
- Wherein each network switch (11) determines amounts (35 stores the configuration of allocation of power consuming devices; lines 28-31 of column 4) and priority levels (34 stores the priority associated with devices, which can be considered the priority level of power for the respective device) of power for the network devices connected thereto (lines 55-65 of column 5 mention that 41 and 42 are responsible for concrete allocation of connections of devices as specified by the configuration stored in 35. In addition, lines 52-60 of column 6 mention that decentralized operation through allocation unit can be carried on. Thus, the whole control can be performed within the respective allocation unit);

- measures the load to determine the overload condition. Lines 45-51 of column 6 mention that total power consumption load is compared to available power supply. That requires summing up the amount required by each device at each priority level to measure if the combined load exceeds the capacity of the system. In such a case, system will disconnect a low priority load. In addition claim 17 mentions about determining total load);
- beyond an internal power supply capability (Lines 14-20 of column 6 mention that if the load exceeds the limit, it will be disconnected and will be connected to different strand according to priority rule. Therefore, determination of additional power required beyond the capability of each strand is performed by the system so that the respective device can be connected to the proper strand. In addition, lines 10-12 of column 2 mention that the critical power consuming devices are reallocated. Each high priority device can be considered associated with high priority level of power. The system determines the high priority devices that require high priority power and need to be reallocated to different strand if current strand is overloaded)

It would have been obvious to one ordinary skill in the art at the time the invention was made to combine the teachings of AAPA and Weiler et al, to modify the system of AAPA so that the power distributor of AAPA can take the advantage of prioritized allocation unit of Weiler et al. One ordinary skill in the art would have been motivated to have the

Art Unit: 2116

prioritized power distribution of Weiler et al to the system of AAPA, that would ensure

the power to be provided to important power consuming devices despite the failure of

one or more power supply circuits.

For claims 2 and 3, note 108 of Fig 1 of applicant's specification, which is a serial cable.

For claim 4, 11 of Weiler et al has a programmable current sense and control unit.

For claim 5, 27 is the control unit and 33 is the control bus.

For claim 6, 42 of Fig 1 performs the control and current sensing.

For claim 7, 41 is the controller and 52 is the bus.

For claim 11, neither AAPA nor Weiler et al teach that the power requests are

determined by arbitration between switches.

Examiner takes an official notice that arbitration between requests from different

devices is well known in the art. One ordinary skill in the art would have been motivated

to have the arbitration, so that the system guarantees all of the switches to be allocated

with power in their respective slot of arbitration.

For claims 12 and 13, AAPA teaches that master-slave and peer-to-peer are well known

in the art ([0050] of page 4).

It would have been obvious for one ordinary skill in the art at the time the invention was

made to have master/slave arbitration or peer-to-peer arbitration depending on the

applicability of the situation, since master/slave arbitration works well for a simplified

system and peer-to-peer arbitration works well where master/slave arbitration is not

feasible.

For claim 15, AAPA teaches that the external power supply communicates power

available to the network switches, each network switch sends a power request to the

external power supply, and the external power supply allocates power to the network

switches depending on the power requests received ([0016] of page 1).

For claim 16, note 108 of Fig 1 of applicant's specification, which is a serial cable.

For claim 17, neither AAPA nor Weiler et al teach that the power requests are

determined by arbitration between switches.

Examiner takes an official notice that arbitration between requests from different

devices is well known in the art. One ordinary skill in the art would have been motivated

to have the arbitration, so that the system guarantees all of the switches to be allocated

with power in their respective slot of arbitration.

For claims 18 and 19, AAPA teaches that master-slave and peer-to-peer are well known

in the art ([0050] of page 4).

It would have been obvious for one ordinary skill in the art at the time the invention was

made to have master/slave arbitration or peer-to-peer arbitration depending on the

applicability of the situation, since master/slave arbitration works well for a simplified

system and peer-to-peer arbitration works well where master/slave arbitration is not

feasible.

For claims 27 and 28, neither AAPA nor Weiler et al teach the type of high priority

device. One ordinary skill in the art would have been motivated to have IP-enabled

telephone device or wireless access point so that communication devices are always

active in the system, which is desirable in airline system.

For claim 30, neither AAPA nor Weiler et al teach that the external supply and the

switches can be in same unit.

However, integrating external supply with plurality of switches can be available in rack

mounted system. One ordinary skill in the art would have been motivated to integrate

external supply and the switches into a same unit when implementing a rack mounted system.

4. Claims 8-10 are rejected under 35 U.S.C. 103(a) as being unpatentable over AAPA in view of Weiler et al. (US Patent 5936318), further in view of Toyomura (US Patent 4486759).

For claims 8-10, power switch 42 can be considered a multiplexer, since it selects the appropriate strand based on signal from 41. However, 42 does not select between an internal power supply and external power supply.

The system of Toyomura teaches a power multiplexer that selects between external and internal supplies.

It would have been obvious for one ordinary skill in the art to combine the teachings of AAPA, Weiler et al and Toyomura. The system of AAPA modified by Weiler et al need a power multiplexer to select between external and internal supply so that the power distributor can supply power to devices in case of complete failure of external supply.

5. Claims 22-23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Weiler et al (US Patent 5936318), further in view of Toyomura (US Patent 4486759).

For claims 22-23, power switch 42 can be considered a multiplexer, since it selects the

appropriate strand based on signal from 41. However, 42 does not select between an

internal power supply and external power supply.

The system of Toyomura teaches a power multiplexer that selects between external and

internal supplies.

It would have been obvious for one ordinary skill in the art to combine the teachings of

AAPA, Weiler et al and Toyomura. The system of AAPA modified by Weiler et al need a

power multiplexer to select between external and internal supply so that the power

distributor can supply power to devices in case of complete failure of external supply.

Conclusion

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Fahmida Rahman whose telephone number is 571-272-

8159. The examiner can normally be reached on Monday through Friday 8:30 - 5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Lynne Browne can be reached on 571-272-3670. The fax phone number for

the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/734,665 Page 13

Art Unit: 2116

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Fahmida Rahman Examiner Art Unit 2116

> THUAN N. DU PRIMARY EXAMINER